

Viro®



**“UNIVERSAL
SPRANGA”
LOCKING BAR**

NEW VIRO "UNIVERSAL"

THEY CAN BE EASILY INSTALLED ON:

DOORS

wooden and metal doors, with narrow profile



WINDOW SHUTTERS



FRENCH WINDOWS



Watch the functioning and fitting video on Youtube!



THEY REINFORCE AND DEFEND EASILY AND EFFICIENTLY

The lock is suitable for:

any double or half profile cylinder, not supplied, as the cylinder length must be chosen according to the type of application (inner side min. 25 mm. outer side min. 27 mm).



1. Standard escutcheon for half cylinder or double cylinder without security escutcheon.



2. Easy application of the cylinder with the supplied Allen wrench.



3. Suitable for installation of a pre-existent handle (e.g. French windows) and/or for a through cylinder of a lock centre distance of 70, 72, 78, 85, 90 and 92 mm, (with adjustable centre).

With double cylinder, the outer side is efficiently defended by a supplied security escutcheon.

- Made of solid steel.
- Conical shaped, resistant to burglar-attacks.
- With drill-resistant rotating plate to protect the key insertion.
- Supplied with inox stainless steel fixing screws, metric pitch, for doors with max. thickness 70 mm.
- Adjustable for adaptation to the cylinder projection.



Chrome-plated escutcheon for black, white or grey locking bars.



Brass-plated escutcheon for brown locking bars.

Two lengths, 170 or 240 cm, (on request version 260 cm or 300 cm length) which can be shortened to 65 cm, with a simple operation:


by cutting the case and the internal tubular parts with the special accessory provided;

by covering later the shortened ends of the case with the specific heads with aesthetic function.



SPRANGA™ LOCKING BAR


ON REQUEST INNOVATIVE VERSIONS WITH ELECTRONIC BURGLAR-ALARM INCORPORATED, POWERED BY 4 STYLUS 1.5 VOLT BATTERIES.



- By simply inserting a SIM card in the card holder in the special cover on the internal side, and by calling from your mobile phone (up to 5 different mobiles) the SIM card number, the numbers to be advised when an attempt is made to force entry will be memorized.
- Locking the bar before leaving is enough to activate the burglar-alarm.
- If anyone attempts to force entry where the locking bar is installed, the sophisticated movement sensor of the incorporated burglar-alarm detects the attempt and sends alarm text messages to the memorized mobile phones, calling the first one at the same time.
- Who receives the messages or the call can call the SIM card number of the locking bar and, thanks to an internal microphone, listen to what is happening where the locking bar is installed, in order to assess whether a burglar is in fact trying to force entry and to decide whether it is necessary to return home and/or call for help.

New "SPRANGA UNIVERSALE" locking bar can also easily be extended thanks to the special **kit for extension**. It will increase the length of the lock to 160 cm.

It is enough to screw the bars extensions in the deadbolt tip to have the greater overall length.



IDEAL FOR LOCKING UP AND OVER GARAGE DOORS



ACCESSORIES and TECHNICAL DATA

ALL THE ACCESSORIES, FOR ANY TYPE OF MOUNTING, ARE PROVIDED IN THE PACKAGE

(locking bars length 260 and 300 cm supplied without accessories, ordered separately)

- Strikers and spacers for horizontal mounting.
- Adjustable U bolt and wall strikers for vertical mounting.
- Self-tapping fixing screws for installation on wood, iron or aluminium.
- Expansion plugs for wall fixing.
- Fixing plates with threaded pins and nuts for installation on thin surfaces.



Strikers for horizontal mounting (item 4008.0776 including spacers)



Spacers for strikers (item 2.0.4008.463.00.000)




Adjustable U-bolt (including wall striker) for vertical mounting with long screws:
- 50 mm (item 4008.0775) (standard accessory)
- 95 mm (item 4008.0781) (accessory always on request)



Wall strikers:
- standard (item 4008.0777) (standard accessory)
- floor striker with dust-proof top (item 4008.0779) (accessory always on request)



Template to shorten the locking bar, heads and covers for internal screws (accessories always supplied as standard)



Pair of fixing plates and nuts for application on metal doors with long screws:
- 50 mm (item 4008.0757) (standard accessory)
- 95 mm (item 4008.0780) (accessory always on request)



Security escutcheons (with deduction for installation on shutters) (item 4008.0809.046) (item 4008.0809.075)



Internal cylinder escutcheon (item 2.0.4703.463.00.000) (item 2.0.4008.065.01.000) (item 2.0.4008.065.11.000)

Accessories on request:



Fixed knob with oval escutcheon (art. 4008.0387)



Handle with oval escutcheon for French windows (art. 4008.0620)




Handle with oval escutcheon for doors with pre-existing lock (art. 4008.0610)



Square spindle (art. 4008.0600)

Four possible finishes to adapt them to all surfaces (on request other colours for min. 100 pcs.)



Item No	Lock length cm.	Unit weight g
MECHANIC VERSIONS		
4008.170	170 can be shortened to 65	5470
4008.240	240 can be shortened to 65	6970
4008.260	260 can be shortened to 65	7600
4008.300	300 can be shortened to 65	8400
VERSIONS WITH ELECTRONIC BURGLAR-ALARM INCORPORATED		
4008.170.E	170 can be shortened to 65	6200
4008.240.E	240 can be shortened to 65	7700

Add the required colour code (.159 .456 .163 .205) after the item code e.g. 4008.170.163 = mechanic Universal locking bar length 170 cm, colour brown.

On request versions without security escutcheon, with deduction.



Item No	Description	Unit weight g
4008.0410	Kit for extending locking bar: 160 cm increase	1600

